



BOECO HEMATOCRITE CENTRIFUGE HC-240

Harga e-Katalog : Rp. 70.450.000,-
Harga sudah termasuk PPn 11 % include UPS dan AVR

Spesifikasi :

The HC-240 centrifuge includes a segmented haematocrit rotor for 24 capillaries.

Max. RPM / RCF : 13,000 rpm / 16,060 RCF
Noise level : ≤ 57 dB(A)
Dimensions in mm (HxWxD) : 228 x 262 x 352
Emission / Immunity : EN / IEC 61326-1, class B / FCC class B



BOECO CENTRIFUGE SC-8

Harga e-Katalog : Rp. 53.000.000,-
Harga sudah termasuk PPn 11 % include UPS dan AVR

Spesifikasi :

Practical and handy the SC-8 is the ideal centrifuge for small sample volumens. It is supplied with a 8-place angle steel rotor x 15 ml.

Max RPM (speed) / RCF: 6,000 rpm / 3,421 RCF
Speed display in RPM or RCF
RPM input from 200 to the maximum speed in steps of 10
RCF input from 200 to the maximum speed in steps of 1



BOECO MICROCENTRIFUGE M-240

Harga e-Katalog : Rp. 95.000.000,-
Harga sudah termasuk PPn 11 % include UPS dan AVR

Spesifikasi :

The M-240 and M-240R rank among the fastest centrifuges in their class – With a maximum speed of 15,000 rpm and an RCF of 21,382 they are not only fast, the M-240R also refrigerates quickly: to +4°C with the Fast Cool function in 10 to 15 minutes..

	M-240	M-240R
Dimensions in mm (HxWxD) :	260 x 275 x 344	260 x 281 x 533
Net weight :	approx 11,5 kg	28 kg
Emission / Immunity :	EN / IEC 61326-1 / class B / FCC class B	
Optional Rotor Capacity (Pilih salah satu) :		
1. Angle Rotor 24-place 24 x 1,5/2,0 ml,		
2. Angle Rotor 24-place 24 x 0,5/0,8 ml (with insert adapter 02023)		
	3. Angle Rotor 30-place 30 x 1,5/2,0 ml,	
	4. Angle Rotor 30-place 30 x 0,5/0,8 ml (with insert adapter 02023).	



BOECO REFRIGERATED CENTRIFUGE M-240R

Harga e-Katalog : Rp. 200.000.000,-
Harga sudah termasuk PPn 11 % include UPS dan AVR

BOECO CENTRIFUGE C-28A

Harga e-Katalog : Rp. 102.000.000,-
Harga sudah termasuk PPn include UPS dan AVR

Spesifikasi :

Max RPM / RCF : 6000 prm / 4.186 RCF
Safety : Lid locking and holding device, Emergency lid lock release, Imbalance switch-off, Automatic rotor recognition.
Optional Rotor 1 of 4 : (pilih salah satu)
1. Angle rotor cap. 12x15 ml
2. Swing out rotor cap. 8x50 ml
3. Disc rotor cap. 32x15 ml
4. Swing out rotor cap. 28x15 ml





CLINICAL CHEMISTRY ANALYZER SAT450

Harga e-Katalog : Rp. 800.000.000,-
Harga sudah termasuk PPn 11 % include UPS, AVR, PC & Printer

Spesifikasi :

SYSTEM DESCRIPTION : Fully automatic, random access, continuous loading, benchtop open analyzer for clinical chemistry and immunoturbidimetric assays


ASSAY TYPES : End point, Kinetic, Differential, Fixed Time, Bichromatic and Immunoturbidimetric, Up to 999 tests, all user programmable

THROUGHPUT : Up to 420 tests/hour including I.S.E. (277 tests/hour photometric)

SAMPLE LOADING : up to 64 reagents with 8 extra positions for urgent samples.

REACTION PLATE : Holds 80 cuvettes into 4 racks; automatic cuvette washing, continuous monitoring of cuvette quality, incubation control at 37° C ± 0.3

REAGENTS and CONTROLS : Up to 72 reagents can be located into the refrigerated compartment and distributed on: 4 removable racks, 50/20/5 ml containers, 8 extra positions for 5 ml containers



AKD HEMATOLOGY ANALYZER 3 diff HA-301

Harga e-Katalog : Rp. 125.000.000,-
Harga sudah termasuk PPn 11 % include UPS dan AVR

Spesifikasi :

Parameter : (20 parameter, 3 diferensiasi WBC) dan 3 Histogram (WBC, RBC dan PLT Histogram).
Output : 60 Sampel/Jam
Mode Sampel : Darah vena, kapiler dan predilusi
Reagen : Lyse dan Diluent



BINOCULAR MICROSCOPE BM-180SP

Harga e-Katalog : Rp. 18.250.000,-
Harga sudah termasuk PPn 11 %

Spesifikasi :

Magnification : 40x -1600x
Optical Head : Sliding binocular head, 45° inclined, 360 rotatable
Objectives : 4x/0.10, 10x/0.25, 40x/0.65 (S), 100x/1.25 (S.Oil)
Illumination : 6V 20W LED, light intensity adjustable.
Eye-piece : Pair eyepiece WF 10x/18mm Widefield
Pair eyepiece P 16x
Supplied with : Dust cover, blue + green filter, immersion oil, instruction manual



BLOOD GAS ANALYZER - ELECTROLYTE ANALYZER

Harga e-Katalog : Rp. 251.400.000,- Harga e-Katalog : Rp. 189.000.000,-
Harga sudah termasuk PPn 11 % include UPS dan AVR

Spesifikasi :

BGA Parameter : pO₂, pCO₂, pH, tHb
Electrolyte Parameter : pH, K⁺, Na⁺, Ca⁺, Li⁺, Cl⁻
Calibration : Automatic calibration and economy mode
Specimen container : Capillary, syringe and others.
Specimen material : whole blood, serum, plasma/respiratory gas.

BAV CK-60 Semi-Automated Urine Chemistry Analyzer and BAV Stik 11 Parameter

Harga e-Katalog : Rp. 15.925.000,- Harga e-Katalog : Rp. 243.000,-
Harga sudah termasuk PPn 11 % Harga sudah termasuk PPn 11 %

Specification:

Test Item : 2 up to 11 parameters
(Urobilinogen, Glucose, Ketones, Bilirubin, Protein, Nitrite, pH, Occult Blood, Specific Gravity, Leukocyte, Ascorbic Acid).

Capacity : 60 tests/hour
Dimension : 160mm / 200mm /115mm
Weight : 0.99Kg
Power : 100~240V / 50Hz~60Hz
Ambient temperature : 18~30°C
Memory : 999 test



VORTEX MIXER V2H

Harga e-Katalog : Rp. 5.800.000,-
Harga sudah termasuk PPn11 %



Specification:

Motor	: brushless DC motor
Kind of motion	: orbital, 4 mm
Speed range	: 300 - 4200 rpm. / speed accuracy: ± 10 rpm
Max. loading capacity	: 500g
Display	: digital speed / time setting
Switch	: ON / OFF / Touch
Pulse mode (default)	: vibration for 5 secs. than pause for 5 secs.
Pulse mode (program)	: vibration time & pause time can be defined by user between 1 to 99 secs.
Timer	: 1 to 999 mins. & continuous mode
Overall size	: 205 x 136 x 138,5 mm
Weight	: 2,8 kg
Power	: external power adapter, 1.6A

Rotator Multi Bio RS-24

Harga e-Katalog : Rp. 16.500.000,-
Harga sudah termasuk PPn11 %



Feature :

1. Orbital motion
2. Reciprocal motion
3. Vortex motion

Specification :

Standard platform capacity	: PRS-26 for 26 (Microtubes and vacutainers)
Power (external)	: 12 V. DC 2,0A (External power adapter)
Size	: 365 mm x 195 mm x 155 mm
Weight	: 1,6 kg
Rs232c	: Barcode reader

OPTIKA B-190TB Digital Binocular Microscope and Accessories

Harga e-Katalog : Rp. 48.000.000,-
Harga sudah termasuk PPn11 %



Specification:

Head	: Binocular, Digital, 360° rotating, 30° inclined
Eyepieces	: WF 10X/18 mm
Objectives	: N-PLAN Achromatic objectives with anti-fungus treatment : 4x/0.10, 10x/0.25, 40x/0.65, 100x/1.25
Stage	: Double layer, 125 x 115 mm, with 70 x 30 mm X-Y moving range
Focusing	: Coaxial coarse and fine focusing
Illuminator	: X-LED 2 system with adjustable intensity
Condenser	: 1.25 N.A. Abbe type, with adjustable height and iris diaphragm

Tablet	: 10,1"
OS	: Windows 10 64-bit
CPU	: Intel® Celeron, N3350
RAM	: 6GB DDR3
Storage	: 64 GB

MINI ROCKER SHAKER MR-1

Harga e-Katalog : Rp. 10.425.000,-
Harga sudah termasuk PPn11 %



Specification:

Kind of motion	: rocking with fixed 7° angle
Speed range	: 5 - 30 rpm
Speed display	: scale (min/max)
Timer	: digital, 1 min - 23h. 59 min / non-stop
Platform size	: 215 x 215 mm
Overall size	: 220 x 205 x 120 mm
Max Loading	: 1 kg
Weight	: 2,10 kg
Power	: 12 V. 500 mA (External power adapter)
Display	: 24 characters x 2 lines backlight LCD display

PROGRAMMABLE ORBITAL SHAKER PSU-15i

Harga e-Katalog : Rp. 43.000.000,-
Harga sudah termasuk PPn11 %

Feature :

1. Orbital motion
2. Reciprocal motion
3. Vortex motion of the platform (vibration)

Specification :

Kind of motion	: orbital
Orbit size	: 20 mm
Speed regulation	: 20 - 250 rpm
Speed display	: digital (LCD)
Timer	: from 1 min to 96 hours / continuous
Time display	: digital (LCD)
Max. load	: 8 kg
Continuous operation time	: max 168 hrs.
Power (external)	: DC 12 V. 3,2 A
Overall size (w/o platform)	: 410 x 410 x 130 mm
Weight	: 11,7 kg
Display	: 24 characters x 2 lines backlight LCD display



PSU-15i WITH PLATFORM UP-330

OPTIKA B-192PL Binocular Microscope and Accessories

Harga e-Katalog : Rp. 16.500.000,-
Harga sudah termasuk PPn11 %



Specification:

Head	: Binocular, 360° rotating, 30° inclined
Eyepieces	: WF 10X/18 mm
Nosepiece	: Quadruple, reversed
Objectives	: N-PLAN Achromatic objectives with anti-fungus treatment : 4x/0.10, 10x/0.25, 40x/0.65, 100x/1.25
Stage	: Double layer, 125 x 115 mm, with 70 x 30 mm X-Y moving range
Focusing	: Coaxial coarse and fine focusing
Illuminator	: X-LED 2 system with adjustable intensity
Condenser	: 1.25 N.A. Abbe type, with adjustable height and iris diaphragm
Power Supply	: 100-240 Vac/50-60 Hz, external power adapter 6 Vdc output

BAV Widal Antigen Test 5 ml

Harga e-Katalog : Rp. 72.400,-
Harga sudah termasuk PPn 11 %



Application:

For the detection of antibodies to S. typhi 'O', S. typhi 'H', S. typhi 'AH', S. paratyphi 'BH', S. paratyphi 'CH', S. paratyphi 'AO', S. paratyphi 'BO', S. paratyphi 'CO' in serum

Reagent:

Ready to use, colour coded, attenuated suspension antigens for slide and tube test:

- S. typhi 'O' - S. paratyphi 'CH'
- S. typhi 'H' - S. paratyphi 'AO'
- S. paratyphi 'AH' - S. paratyphi 'BO'
- S. paratyphi 'BH' - S. paratyphi 'CO'

BOECO PHOTOMETER PM-51

Harga e-Katalog : Rp.90.800.000,-
Harga sudah termasuk PPn 11 %
include UPS & AVR



Specification:

- Type : Semi-automatic, single-beam filter photometer
- Light Source : Halogen lamp - 12 V, 20 W with protection for lifetime
- Wavelength : 340 nm - 800 nm
- Cuvette System : Microflow cell: 32 µl, 10 mm light path interchangeable with normal standard cuvettes
- Sipping Volume : Minimum 250 µl, typically 500 µl up to 2000 µl
- Operator interface: Touchscreen and alphanumeric inputs
- Integrated Printer : Thermal printer, 24 characters per line
- Languages : English, German, Spanish, French, Russian and Indonesian

MICROPIPETETTE Fixed Volume

Harga e-Katalog : Rp. 1.148.200,-
Harga sudah termasuk PPn 11 %



MICROPIPETETTE Adjustable Volume

Harga e-Katalog : Rp. 1.987.000,-
Harga sudah termasuk PPn 11 %



Spesifikasi :

- Completely autoclavable at 121°C
- Ergonomic design
- Tip Ejector, for smooth ejection of the tip*
- Precise setting of the selected volume ensures accurate aspiration & dispensing of the liquid
- Grip made out of TPE (Thermo Plasto Elastomer) prevents transfer of heat to internal components ensuring accurate pipette operation even on continuous use.

Available on Ecatalog Fixed Volume: 50, 100, 500, 1000 uL

Available on Ecatalog Adjustable Volume: 0,5-1, 2-20, 5-50, 10-100, 100-1000 uL



Didistribusikan oleh :

PT. GERMARINDO BIOTEKNIKA

Jl. Ciledug Raya No. 232 Lt.3, Jakarta Selatan - DKI. Jakarta, Indonesia

✉ germarindobioteknika@gmail.com ☎ +6221 722 7169



AKD REAGENSIA BIOCON Kimia Klinik

Harga sudah termasuk PPn 11 %



Parameter :

REAGENSIA BIOCON ALAT (GPT) FS (IFCC mod.)	Rp. 666.000,-
REAGENSIA BIOCON ASAT (GOT) FS (IFCC mod.)	Rp. 666.000,-
REAGENSIA BIOCON Bilirubin Auto Direct FS	Rp. 721.500,-
REAGENSIA BIOCON Bilirubin Auto Total FS	Rp. 682.650,-
REAGENSIA BIOCON Total Protein FS	Rp. 441.780,-
REAGENSIA BIOCON Cholesterol (dengan std.)	Rp. 843.600,-
REAGENSIA BIOCON Creatinine FS (dengan std.)	Rp. 549.450,-
REAGENSIA BIOCON Glucose GOD FS (dengan std.)	Rp. 477.300,-
REAGENSIA BIOCON Triglycerides FS (dengan std.)	Rp. 1.204.350,-
REAGENSIA BIOCON Uric Acid FS (dengan std.)	Rp. 932.400,-

Harga :

AKD BINOCULAR MICROSCOPE BM-001

Harga e-Katalog : Rp. 19.250.000,-
Harga sudah termasuk PPn 11 %



Spesifikasi :

- Magnification : 40x -1000x
- Optical Head : Sliding binocular head, 30° inclined, 360 rotatable
- Objectives : Plan 4x, 10x, 40x, 100x (S.Oil)
- Illumination : 3W LED, light intensity adjustable.
- Eyepiece : WF 10x/18mm Widefield
- Supplied with : Dust cover, blue + green filter, immersion oil, intruction manual